

# ARKIMEDE 35 FOR PAVING



## INDEX







1. Code Registry
2. Use
3. Technical specification
4. Loaded Test
5. Extensions for Arkimede 35

## 1. CODE REGISTRY

Code Adjustable Support	Product	Lenght (mm)	Weight	Pallet
TER09-1143/4A2M	4 tabs adjustable support - 2 mm joint	from 35 to 60	0,158 kg/pz.	40 box
TER09-1143/4A4M	4 tabs adjustable support - 4 mm joint	from 35 to 60	0,158 kg/pz.	40 box

### MATERIAL COLOUR

Made of PP (polypropylene).  
Black



# ARKIMEDE 35 FOR PAVING

## 2. USE

Use in outdoor areas, terraces, shared flooring.

Operating temperature: from - 40 ° C to + 80 ° C

## 3. TECHNICAL SPECIFICATION

Voce	Descrizione	Unità	Prezzo
Dak.O.TER09-1143/x	Supply and intallation of adjustable support with adjustable height from min 35 to max 500 mm according to the matching accessories. Made of PP (polypropylene). Used in external areas, terraces, pavements	box	-
Dak.O.TER09-1143/4A2M	Dimension from 35 to 60 mm.....	box	-
Dak.O.TER09-1143/4A4M	Dimension from 35 to 60 mm.....	box	-

## 4. LOADED TEST

Code	Dimensions	Max Load [N]
TER09-1143/4Axx	h = 60 mm	10.409
TER09-1143/4Axx	h = 85 mm	9.107
TER09-1143/4Axx	h = 110 mm	10.234
TER09-1143/4Axx	h = 135 mm	9.946
TER09-1143/4Axx	h = 510 mm	9.740


The test was made using a 150mm diameter punch

# ARKIMEDE 35 FOR PAVING


## 5. EXTENSIONS FOR ARKIMEDE 35-60

Code	Description	Lenght (mm)	Weight	Pallet
TER09-1143/P25	Extension 25 mm	25 - ø 112 mm	0,044 kg/pz.	90 box
TER09-1143/P50	AExtension 50 mm	50 - ø 112 mm	0,072 kg/pz.	54 box
TER09-1143/P100	Extension 100 mm	100 - ø 112 mm	0,16 kg/pz.	20 box

**TER09-1143/P25**



**TER09-1143/P100**



**TER09-1143/P50**

